

Florida Hospital Memorial Medical Center

Test: AIDS

Course: HIV/AIDS - 4 hour CBL

Date created: 01/19/2006	Allowed to go back: Yes	Credit for passing pre-test?: No
Last used:	Maximum time: 120 min.	Pre-test minimum: %
Number of exams: 2472	Average time: 10 min.	Post-test minimum: 80 %
Number of questions: 60	Skip pre-test?: Yes	

Florida Hospital Memorial Medical Center

Test: AIDS

Examining answers from 12/31/2011 through 01/09/2012

Ques #: 1 - ID#: 0006111 - Subject: Aids 2006

Question: It is believed that AIDS was originally a disease among monkeys in Central Africa.

- A. True
- B. False

Ques #: 2 - ID#: 0006112 - Subject: Aids 2006

Question: AIDS has been rampant in the U.S. for over 100 years.

- A. True
- B. False

Ques #: 3 - ID#: 0006113 - Subject: Aids 2006

Question: AIDS was initially believed to be a disease that primarily affected homosexual men.

- A. True
- B. False

Ques #: 4 - ID#: 0006114 - Subject: Aids 2006

Question: AIDS is caused by the human immunodeficiency virus.

- A. True
- B. False

Ques #: 5 - ID#: 0006115 - Subject: Aids 2006

Question: The HIV virus attaches to red cells causing debilitating anemia.

- A. True
- B. False

Ques #: 6 - ID#: 0006116 - Subject: Aids 2006

Question: HIV is the virus that attacks T-cells and causes the immune system to decline in function.

- A. True
- B. False

Ques #: 7 - ID#: 0006117 - Subject: Aids 2006

Question: HIV is easily transmitted through casual contact.

- A. True
- B. False

Ques #: 8 - ID#: 0006118 - Subject: Aids 2006

Question: The most common methods of transmission of HIV are:

- A. Unprotected sex
- B. Contact with HIV contaminated blood or blood products
- C. Perinatal transmission from mother to infant
- D. All of the above*

Ques #: 9 - ID#: 0006119 - Subject: Aids 2006

Question: Perinatal transmission of HIV is also referred to as

- A. Vaginal transmission
- B. Inadvertent transmission
- C. Vertical transmission

Test: AIDS

Examining answers from 12/31/2011 through 01/09/2012

D. All of the above

Ques #: 10 - ID#: 0006120 - Subject: Aids 2006

Question: The only absolute method of preventing sexual transmission of AIDS is

- A. Latex condoms
 - B. Abstinence
 - C. Contraceptive foam
 - D. All of the above
-

Ques #: 11 - ID#: 0006121 - Subject: Aids 2006

Question: Current screening tests for HIV in blood products are so sophisticated they can detect the presence of HIV antibodies in blood within hours of exposure.

- A. True
 - B. False
-

Ques #: 12 - ID#: 0006122 - Subject: Aids 2006

Question: Risk of transmission of HIV increases with

- A. Deep injury contact with contaminated equipment
 - B. Visible blood on a device
 - C. A device in an artery/vein
 - D. All of the above
-

Ques #: 13 - ID#: 0006123 - Subject: Aids 2006

Question: Florida ranks last in the nation in the number of adults and children with AIDS.

- A. True
 - B. False
-

Ques #: 14 - ID#: 0006124 - Subject: Aids 2006

Question: HIV/AIDS is a chronic illness.

- A. True
 - B. False
-

Ques #: 15 - ID#: 0006125 - Subject: Aids 2006

Question: The initial phase of HIV infection is characterized by extreme, debilitating nausea and vomiting.

- A. True
 - B. False
-

Ques #: 16 - ID#: 0006126 - Subject: Aids 2006

Question: The average length of the asymptomatic phase of HIV infection is 2-3 weeks.

- A. True
 - B. False
-

Ques #: 17 - ID#: 0006127 - Subject: Aids 2006

Question: Signs and symptoms of early HIV infection that may cause an individual to seek medical care include

- A. Fatigue, weight loss, and diarrhea
 - B. Headache and arthralgia
 - C. Urinary retention
 - D. All of the above
-

Ques #: 18 - ID#: 0006128 - Subject: Aids 2006

Question: An opportunistic infection found in nearly 80% of all AIDS patients at some time during the course of illness which is a major cause of death is

- A. Salmonella
- B. Herpes simplex
- C. Pneumocystis carinii pneumonia
- D. Human papilloma virus (HPV)

Test: AIDS

Examining answers from 12/31/2011 through 01/09/2012

Ques #: 19 - ID#: 0006129 - Subject: Aids 2006

Question: A CD4 count of 200 or less is consistent with a diagnosis of AIDS.

- A. True
 - B. False
-

Ques #: 20 - ID#: 0006130 - Subject: Aids 2006

Question: It is best to give an AIDS patient only one retroviral medication at a time to prevent resistance.

- A. True
 - B. False
-

Ques #: 21 - ID#: 0006131 - Subject: Aids 2006

Question: Universal precautions include

- A. Use of PPE
 - B. Hand hygiene
 - C. Proper disposal of contaminated waste
 - D. All of the above
-

Ques #: 22 - ID#: 0006132 - Subject: Aids 2006

Question: The risk of acquiring HIV after an exposure is greater than the risk of acquiring Hepatitis B.

- A. True
 - B. False
-

Ques #: 23 - ID#: 0006133 - Subject: Aids 2006

Question: Florida law requires consent for HIV testing.

- A. True
 - B. False
-

Ques #: 24 - ID#: 0006134 - Subject: Aids 2006

Question: It is predicted that AIDS will become the number one cause of death in the United States for individuals between the ages of 25 and 44.

- A. True
 - B. False
-

Ques #: 25 - ID#: 0006135 - Subject: Aids 2006

Question: If exposed to HIV/AIDS through occupational exposure, the employee will definitely be infected with HIV/AIDS

- A. True
 - B. False
-

Ques #: 26 - ID#: 0006136 - Subject: Aids 2006

Question: Current preventive methods such as the use of condoms is causing the number of cases of HIV/AIDS among men having sex with men to decrease.

- A. True
 - B. False
-

Ques #: 27 - ID#: 0006137 - Subject: Aids 2006

Question: The mode of transmission that accounted for 80% of all AIDS cases in 2004 was

- A. Vertical transmission
 - B. Occupational exposure
 - C. Blood transfusion
 - D. Unprotected sex
-

Ques #: 28 - ID#: 0006138 - Subject: Aids 2006

Question: The number of people living with HIV/AIDS is increasing.

- A. True
- B. False

Test: AIDS

Examining answers from 12/31/2011 through 01/09/2012

Ques #: 29 - ID#: 0006139 - Subject: Aids 2006

Question: HIV/AIDS affects significantly more blacks than whites.

- A. True
 - B. False
-

Ques #: 30 - ID#: 0008505 - Subject: AIDS 2006

Question: CMV retinitis can cause blindness.

- A. True
 - B. False
-

Ques #: 31 - ID#: 0008506 - Subject: AIDS 2006

Question: Kaposi's Sarcoma can affect the GI tract, lower extremities, skin, lungs and lymph system.

- A. True
 - B. False
-

Ques #: 32 - ID#: 0008507 - Subject: AIDS 2006

Question: ELISA and Western Blot are 2 lab tests used for diagnosis of HIV.

- A. True
 - B. False
-

Ques #: 33 - ID#: 0008508 - Subject: AIDS 2006

Question: Western Blot is the first lab test to be done.

- A. True
 - B. False
-

Ques #: 34 - ID#: 0008509 - Subject: AIDS 2006

Question: As the AIDS virus progresses, the CD4 count will rise indicating imminent immune system failure.

- A. True
 - B. False
-

Ques #: 35 - ID#: 0008510 - Subject: AIDS 2006

Question: Viral load measures the amount of virus detected in the blood.

- A. True
 - B. False
-

Ques #: 36 - ID#: 0008511 - Subject: AIDS 2006

Question: Treatment of HIV disease involves more than medication. It also involves physical care, emotional support and counseling.

- A. True
 - B. False
-

Ques #: 37 - ID#: 0008512 - Subject: AIDS 2006

Question: Most drugs to treat HIV infections have side effects which include

- A. GI complaints
 - B. Headache
 - C. Peripheral neuropathy
 - D. All of the above
-

Ques #: 38 - ID#: 0008513 - Subject: AIDS 2006

Question: The discovery of the vaccine to prevent the transmission of HIV is imminent.

- A. True
 - B. False
-

Ques #: 39 - ID#: 0008514 - Subject: Aids 2006

Question: After exposure, healthcare workers will be tested for HIV initially and then periodically throughout the next 6 months.

- A. True
- B. False

Test: AIDS

Examining answers from 12/31/2011 through 01/09/2012

Ques #: 40 - ID#: 0010063 - Subject: Aids 2006

Question: Shaking hands is considered "full contact" and absolutely puts you at risk for contacting HIV.

- A. True
 - B. False
-

Ques #: 41 - ID#: 0008515 - Subject: Aids 2006

Question: If you receive exposure to blood/blood products through a cut, you should

- A. Wash hands vigorously with soap and water
 - B. Report incident to immediate supervisor
 - C. Go to the ER
 - D. All of the above
-

Ques #: 42 - ID#: 0010037 - Subject: AIDS 2006

Question: Saliva is not one of the 4 bodily fluids that can transmit the HIV Virus.

- A. True
 - B. False
-

Ques #: 43 - ID#: 0010036 - Subject: AIDS 2006

Question: Shaking hands is the most common way to transmit HIV?

- A. false
 - B. False
-

Ques #: 44 - ID#: 0010038 - Subject: AIDS 2006

Question: HIV can be transmitted by mosquito bite.

- A. True
 - B. False
-

Ques #: 45 - ID#: 0010040 - Subject: AIDS 2006

Question: Having HIV means you also have AIDS.

- A. True
 - B. False
-

Ques #: 46 - ID#: 0010064 - Subject: Aids 2006

Question: If you share chewing gum with someone who has HIV you can contract the disease.

- A. True
 - B. False
-

Ques #: 47 - ID#: 0010041 - Subject: AIDS 2006

Question: You can have a baby if you are HIV positive. Your baby will not contract HIV.

- A. True
 - B. False
-

Ques #: 48 - ID#: 0010042 - Subject: AIDS 2006

Question: There is no risk of transmitting HIV thru a human bite if the skin is not broken.

- A. True
 - B. False
-

Ques #: 49 - ID#: 0010039 - Subject: AIDS 2006

Question: HIV is an airbourn disease and can be transmitted by coughing and sneezing.

- A. True
 - B. False
-

Ques #: 50 - ID#: 0010035 - Subject: Aids 2006

Question: You should still use protection if both partners have HIV

- A. True
- B. False